UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537,329	12/02/2005	Takaomi Nakayama	4626.P0002US	8404
23474 7590 10/16/2008 EXAMINER FLYNN THIEL BOUTELL & TANIS, P.C.				
2026 RAMBLII	NG ROAD	ZHENG, LOIS L		
KALAMAZOO, MI 49008-1631			ART UNIT	PAPER NUMBER
			1793	
			MAIL DATE	DELIVERY MODE
			10/16/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/537,329	NAKAYAMA ET AL.				
Office Action Summary	Examiner	Art Unit				
	LOIS ZHENG	1793				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on <u>21 Ju</u>	ılv 2008					
· <u> </u>						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
·	x parte quayre, 1000 0.2. 11, 10	0.0.210.				
Disposition of Claims						
 4) ☐ Claim(s) 3-18 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 3-18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement. 						
Application Papers						
9)☐ The specification is objected to by the Examiner. 10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the	• •					
	• • • • • • • • • • • • • • • • • • • •	* *				
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f)				
 a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 3/10/08,7/7/08. 4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:						

Art Unit: 1793

under examination.

DETAILED ACTION

Status of Claims

1. Claims 3-17 are amended in view of applicant's amendment filed 21 July 2008.

Claims 1-2 are canceled. New claim 18 is added. Therefore, claims 3-18 are currently

Status of Previous Rejections

2. The rejection of claims 1, 3, 5 and 7 under 35 U.S.C. 102(b) as being anticipated by Rossmaier US 5,935,348(Rossmaier) is withdrawn in view of applicant's amendment filed 21 July 2008.

Abstract

3. The amendment to the abstract filed 21 July 2008 is entered and recorded.

Specification

4. The amendment to the specification filed 21 July 2008 is entered and recorded.

Double Patenting

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to

Art Unit: 1793

be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

6. Claims 3-7, 10, 13-15 and 18 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-18 of copending Application No. 10/480,841(i.e. US 2004/0244874 A1). Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1-18 of copending Application No. 10/480,841 teaches a treating solution that comprises substantially the same amount of zirconium or titanium compounds, substantially the same amount of free fluorine ions and the same pH. claims 1-18 of copending Application No. 10/480,841 also teaches the same presence of nitric acid, the same at least one oxygen acid, the same polymer and the same surfactant. Claims 10 of copending Application No. 10/480,841 further teaches that the treatment solution is applied by electrolysis and teaches the same coating weight on iron and zinc surfaces.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

7. Claims 8-9, 11-12 and 16-17 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-18 of copending Application No. 10/480,841(i.e. US 2004/0244874 A1) in view of Bittner et al. WO 2002/024344, whose corresponding US Patent Application Publication is US 2003/0185990 A1(Bittner).

The teachings of the claims of copending Application No. 10/480,841 are discussed above. However, these claims do not explicitly teach the subsequent treatment with a solution comprising polymer compounds or Co, Ni, Sn, Cu and Ti/Zr as claimed and the aluminum and magnesium metal material as claimed.

Bittner teaches a metal surface coating solution comprising corrosion inhibitors such as Zr /Cr phosphate or carbonates(paragraph 0034), complex and free fluorides (paragraph 0037), polymers(paragraph 0028) and hydrogen peroxide(paragraph 0117). Bittner further teaches that the coating treatment can be followed by another treatment with a coating bath that comprises substantially the same components such as corrosion inhibitors, complex and free fluorides and polymers.

Regarding claims 8-9 and 11-12, one of ordinary skill in the art would have found it obvious to have found it obvious to repeated the coating treatment of copending Application No. 10/480,841 as suggested by Bittner in order to achieve desired coating thickness and corrosion protection as taught by Bittner.

Regarding claims 16-17, since Bittner teaches a substantially similar coating composition as the coating composition of copending Application No. 10/480,841, and Bittner further teaches that its coating solution can be applied to metal surfaces such as aluminum, iron, magnesium, zinc and their alloys(paragraph 0073), one of ordinary skill in the art would have found it obvious that the coating solution of copending Application No. 10/480,841 can be applied to magnesium metal surface with expected success. In addition, even though copending Application No. 10/480,841 in view of Bittner do not explicitly teach the claimed amount of coating weight, one of ordinary skill in the art

Art Unit: 1793

would have found it obvious to have varied the amount of surface treatment time during the process of copending Application No. 10/480,841 in view of Bittner in order to produce desired coating thickness or coating weight to achieve the desired corrosion protection.

This is a <u>provisional</u> obviousness-type double patenting rejection.

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

9. Claims 3-7, 10, 14-15 and 18 are rejected under 35 U.S.C. 102(e) as being anticipated by Nakayama et al. US 2004/0244874 A1(Nakayama).

Nakayama teaches a metal surface treatment solution, a treatment process and coated metal products that are substantially the same as instantly claimed treatment solution, process and coating metal materials(claims 1-18). Example 7 of Nakayama further demonstrates a treatment solution that falls within the claimed component concentration and pH ranges.

Therefore, Nakayama anticipates instant claims 1-7, 10, 14-15.

Art Unit: 1793

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

11. Claims 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakayama et al. US 2004/0244874 A1(Nakayama).

The teachings of Nakayama are discussed in paragraph 9 above. Nakayama further teaches that the treatment solution can be applied to iron, zinc, aluminum and magnesium alloys(paragraph [0029]).

Regarding claims 16-17, even though Nakayama does not explicitly teach the claimed amount of coating weight on aluminum and magnesium metal materials, one of ordinary skill in the art would have found it obvious to have varied the amount of surface treatment time during the process of Nakayama in order to produce desired coating thickness or coating weight to achieve the desired corrosion protection on aluminum and magnesium metal materials.

12. Claims 3-5, 7, 10, 14-16 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kogure US 4,130,431(Kogure).

Kogure teaches a metal surface treatment liquid comprising oxytitanic or peroxytitanic ions in an amount of 0.0025-2.5 mole per 1000 g of surface treatment liquid(col. 3 lines 36-470) and acids such as hydrofluoric and/or nitric acid(col. 2 lines 47-51), wherein the pH of the treatment liquid is less than 6(col. 3 lines 28-35). Kogure

further provides a list of suitable titanium compounds such as calcium and magnesium titanates, titanium di, tri and/or tetrachlorides and titanium tri or tetrafluorides(col. 2 lines 34-46).

Regarding claims 18, the claimed pH and titanium compound concentration overlaps the claimed pH and titanium compound concentration. Therefore, a prima facie case of obviousness exists. See MPEP 2144.05. The selection of claimed pH and titanium compound concentration ranges from the disclosed ranges of Kogure would have been obvious to one skilled in the art since Kogure teaches the same utilities in its' disclosed pH and titanium concentration ranges.

In addition, even though Kogure does not explicitly teach the amount hydrofluoric acid(i.e. containing free fluorine ions) in the treatment solution, one of ordinary skill in the art would have found it obvious to have adjusted the amount of hydrofluoric acid in the treatment solution of Kogure via routine optimization in order to maintain the desired pH in the treatment solution.

Furthermore, since Kogure teaches that suitable titanium compounds are calcium and magnesium titanates, the claimed calcium and magnesium ions are inherently present in the treatment solution of Kogure. Based on the disclosed amount of titanium compound by Kogure, the examiner concludes that the calcium and magnesium concentrations in the treatment solution of Kogure would have overlap the claimed calcium and magnesium concentrations. Therefore, a prima facie case of obviousness exists. See MPEP 2144.05. The selection of claimed calcium and magnesium concentration ranges from the disclosed ranges of Kogure would have been obvious to

one skilled in the art since Kogure teaches the same utilities in its' disclosed calcium and magnesium concentration ranges.

Regarding claim 3, Kogure's teaching of using inorganic acids such as nitric acid meets the limitation of nitrate ions in the treatment solution. In addition, even though Kogure does not explicitly teach the amount nitric acid in the treatment solution, one of ordinary skill in the art would have found it obvious to have adjusted the amount of nitric acid in the treatment solution of Kogure via routine optimization in order to maintain the desired pH in the treatment solution.

Regarding claim 4, Kogure further teaches that hydrogen peroxide is preferably added to the surface treatment liquid(col. 2 lines 52-60).

Regarding claim 5, Kogure further teaches the presence of polymer in the treatment solution(col. 3 line 67 - col. 4 line 5).

Regarding claim 7, Kogure further teaches that its treatment solution can be used to form a rust preventive coating on metal surfaces such as steel, galvanized steel, aluminum, etc.(col. 4 lines 22-31). Therefore, one of ordinary skill in the art would have found it obvious to have applied the treatment solution of Kogure to claimed ferriferous, zinciferous, aluminiferous with expected success.

Regarding claim 10, Kogure further teaches that the treatment solution can be applied by electrodeposition(col. 4 lines 9-14), which implies using the metal substrate as cathode as claimed.

Regarding claims 14-16, since the treatment solution of Kogure is suitable for steel, galvanized steel and aluminum surfaces, the coated steel, galvanized steel and

Art Unit: 1793

aluminum material reads on the claimed metal materials. In addition, even though
Kogure does not explicitly teach the claimed amount of coating weight, one of ordinary
skill in the art would have found it obvious to have varied the amount of surface
treatment time during the process of Kogure in order to produce desired coating
thickness or coating weight to achieve the desired corrosion protection.

13. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kogure in view of Frelin et al. US 4,313,769(Frelin).

The teachings of Kogure are discussed in paragraph 12 above. However, Kogure does not explicitly teach the claimed surfactant.

Frelin teaches a coating solution for metal surfaces, wherein the coating solution comprising Zr/Ti compounds(col. 3 line 38 – col. 4 line 22), free fluoride ions(col. 5 lines 9-39), polymer(col. 5 line 60 – col. 6 line 16). Frelin further teaches adding nonionic surfactants to the coating solution(col. 5 lines 40-58).

Regarding claim 6, it would have been obvious to one of ordinary skill in the art to have incorporated nonionic surfactants as taught by Frelin into the coating solution of Kogure since Frelin teaches that using combination of surfactant, Zr/Ti compound and fluorine ions produces coatings with excellent corrosion resistance and adhesion(col. 2 lines 26-56).

14. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kogure in view of Frelin, and further in view of Bartik-Himmler et al. US 6,627,006 B1(Bartik-Himmler) .

Art Unit: 1793

The teachings of Kogure in view of Frelin are discussed in paragraph 13 above. However, Kogure in view of Frelin do not explicitly teach that the metal surface is not cleaned or degreased prior to the coating treatment.

Bartik-Himmler et al. US 6,627,006 B1(Bartik-Himmler) teaches a metal surface coating solution comprising complex and free fluorides(col. 4 lines 41-54), Ca/Mg ions(col. 4 lines 26-27), nitrate ions(col. 5 lines 10-18), and accelerators such as hydrogen peroxide and nitrite ions(col. 5 lines 5-6). Bartik-Himmler further teaches that the metal surface can be treated with a cleaning bath containing anionic and/or nonionic surfactants(col. 6 lines 40-42).

Regarding claim 13, in light of the teachings from Bartik-Himmler, one of ordinary skill in the art would have found it obvious to have eliminated the cleaning/degreasing step prior to the coating treatment step in the process of Kogure in view of Frelin since the coating solution of Kogure in view of Frelin already contain nonionic surfactant that would have been present in the cleaning pretreatment solution as taught by Bartik-Himmler.

15. Claims 8-9, 11-12 and 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kogure in view of Bittner et al. WO 2002/024344, whose corresponding US Patent Application Publication is US 2003/0185990 A1(Bittner).

The teachings of Kogure are discussed in paragraph 12 above. However, Kogure does not explicitly teach the subsequent treatment with a solution comprising polymer compounds or Co, Ni, Sn, Cu and Ti/Zr as claimed.

Art Unit: 1793

Bittner teaches a metal surface coating solution comprising corrosion inhibitors such as Zr /Cr phosphate or carbonates(paragraph 0034), complex and free fluorides (paragraph 0037), polymers(paragraph 0028) and hydrogen peroxide(paragraph 0117). Bittner further teaches that the coating treatment can be followed by another treatment with a coating bath that comprises substantially the same components such as corrosion inhibitors, complex and free fluorides and polymers.

Regarding claims 8-9 and 11-12, one of ordinary skill in the art would have found it obvious to have found it obvious to repeated the coating treatment of Kogure as suggested by Bittner in order to achieve desired coating thickness and corrosion protection as taught by Bittner.

Regarding claim 17, since Bittner teaches a substantially similar coating composition as the coating composition of Kogure, and Bittner further teaches that its coating solution can be applied to metal surfaces such as aluminum, iron, magnesium, zinc and their alloys(paragraph 0073), one of ordinary skill in the art would have found it obvious that the coating solution of Kogure can be applied to magnesium metal surface with expected success. In addition, even though Kogure in view of Bittner do not explicitly teach the claimed amount of coating weight, one of ordinary skill in the art would have found it obvious to have varied the amount of surface treatment time during the process of Kogure in view of Bittner in order to produce desired coating thickness or coating weight to achieve the desired corrosion protection.

Art Unit: 1793

Response to Arguments

16. Applicant's arguments filed 21 July 2008 have been fully considered but they are not persuasive.

Regarding the Nakayama reference, applicant argues that "the current claims exclude magnesium therefrom" and the claimed invention is distinguishable over Nakayama.

The examiner does not find applicant's argument convincing because independent claim 18 of the instant invention recites a magnesium compound. Claims 2 and 4 of Nakayama also recites a magnesium compound.

Regarding the remaining references, applicant further argues unexpected results in the instant invention over the prior art.

The examiner would like to remind the applicant that any objective evidence such as unexpected result must be factually supported by an appropriate affidavit or declaration to be of probative value. See In re De Blauwe, 736 F.2d 699, 705, 222 USPQ 191, 196 (Fed. Cir. 1984) and MPEP 716.01(c). Evidence of unexpected properties may be in the form of a direct or indirect comparison of the claimed invention with the closest prior art which is commensurate in scope with the claims. See In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980) and MPEP § 716.02(d) - § 716.02(e). Since the proof of factual evidence is lacking in applicant's assertion of unexpected results, the examiner does not find the argument persuasive.

Art Unit: 1793

Conclusion

17. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LOIS ZHENG whose telephone number is (571)272-1248. The examiner can normally be reached on 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Roy King/ Supervisory Patent Examiner, Art Unit 1793 Application Number

Application/Control No.	Applicant(s)/Patent under Reexamination
10/537,329	NAKAYAMA ET AL.
Examiner	Art Unit
LOIS ZHENG	1793